



OPUS LUBRICANTS PRODUCT DATA

SYNOPSIS NOVA D1 5W/30

Description

Synopsis Nova D1 5W/30 is a high performance multi-grade Mid SAPS (Sulphated Ash, Phosphorus, Sulphur) fully synthetic engine oil formulated to meet the superior performance and fuel efficiency requirements of modern passenger car, SUV, PSV & Light Commercial petrol and diesel engines requiring API SN, ILSAC G-5 & GM Dexos 1™ specifications.

Synopsis Nova D1 5W/30 has been developed for use in Euro 4 and 5 compliant vehicles with or without diesel particulate filters (DPF)

The additive technology coupled with synthetic base fluids also ensures a high level of component protection and cleanliness when operating in severe conditions with extended drain intervals. It is a long-life engine oil which meets or exceeds the following requirements:

Performance Levels

- API: SN
- ILSAC G-5
- Ford WSS-M2C946-A1/B1
- GM Dexos 1™ Gen 2

Benefits

- Improved fuel economy.
- Low volatility.
- Very high viscosity index.
- Excellent cold starting characteristics.
- Better thermal stability, improved engine cleanliness.

Typical Technical Data

SAE Viscosity Grade		5W/30
Specific Gravity	@ 15°C cSt	0.854
Kinematic Viscosity	@ 100°C cSt	11.30
	@ 40°C cSt	64.10
Viscosity Index		160
Flash Point (COC °C)		224
Pour Point °C		-45

The values quoted above are typical of normal manufacture and do not constitute a specification.

Revision Date: June 2020

Ferguson & Menzies Ltd
312 Broomloan Road
GLASGOW
G51 2JW

Tel: 0141 445 3555
E-Mail: info@fergusonmenzies.co.uk
Web: www.fergusonmenzies.co.uk