



OPUS LUBRICANTS PRODUCT DATA

A.T.F. DEXRON II

Description

OPUS DEXRON II is an automatic transmission fluid blended from highly refined base oils and a high performance additive package. It is designed to meet the performance requirements of General Motors Dexron® IID specification for transmission systems built up to 1992

Applications

Recommended for use in all applications where Dexron® IID is specified, including, automatic transmissions, powershift transmissions, torque converters, power steering units, fluid drives, hydraulic systems, brake boosters, transfer boxes, PTO's, hydrostatic drives, etc.

Performance Levels

- GM Dexron IID
- Ford ESP-M2C 166-H
- Ford ESP-M2C 138-CJ
- MB 236.2

Benefits

- A universal ATF with the frictional characteristics giving smooth and perfect gear changes for most automatic transmissions in all climates.
- High VI and low pour point.
- Highly resistant to oxidation, wear and corrosion.
- Excellent protection for all conventional seals.

Typical Data

Specific gravity	@ 15°C:	0.848
Kinematic Viscosity	@ 100°C cSt:	7.40
Kinematic Viscosity	@ 40°C cSt	38.70
Viscosity Index:		160
Pour Point °C:		-38
Flash Point °C:		195

Revision Date: June 2016

Ferguson & Menzies Ltd
312 Broomloan Road
GLASGOW
G51 2JW

Tel: 0141 445 3555
Fax: 0141 425 1079
E-Mail: info@fergusonmenzies.co.uk
Web: www.fergusonmenzies.co.uk